

EMERGENCY PROCUREMENT OF LAB CONSUMABLES, CHEMICALS, VTM WITH SWAB ETC. ON FRAMEWORK CONTRACT BASIS FOR CORONAVIRUS (COVID-19) TESTING DIRECTORATE GENERAL HEALTH SERVICES GOVERNMENT OF PUNJAB, FY 2020-21

Sr. no.	Item no	Quoted Item Name	Firm Name	Valid CNIC Copy of owner	Tender purchase receipt	2% bid security	Complete technical offer with make,model/catalogue number, offered quantity of quoted product along with list of complete accessories to be provided.	Quality Certificate	Signed & Stamped Bid-form on letterhead of the firm	Supplier's Declaration on letterhead of firm	NTN/GST Certificate	Undertaking regarding non black listing/non debarment/non conviction	The technical offer/product evaluation must fully comply with the advertised technical specifications of quoted item.	Undertaking regarding the make,model & country of origin quoted product along with all accessories	The Bidder shall provide samples of the quoted product along brochure /technical data sheet	Status	Reason of Rejection
1	13	VTM with swab	M/s Badar Trading	YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. (Remarks: Firm provided samples of locally made and imported VTM. Breakable glass material and vial is not graduated.)
2	13	VTM with swab	M/s Global Marketing Services	YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES (Samples are acceptable subject to the condition that the bidder will provide VTM with the barcode sticker pasted on vial as per specifications mentioned in advertised RFQ after receiving serial number from PCR Lab)	YES	YES	Responsive	
3	13	VTM with swab	M/s The Medicine Company	YES	YES	YES	YES	N/A	YES	YES	NO	YES	YES (Samples are acceptable subject to the condition that the bidder will provide VTM with the barcode sticker pasted on vial as per specifications mentioned in advertised RFQ after receiving serial number from PCR Lab)	YES	YES	Non-responsive	The firm did not provide NTN/GST Certificate.
4	1	Filter tips 1000ul	M/s Pakistan Hospital and Industrial Laboratory Co	YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	YES	YES	Responsive	
	3	Filter tips 10ul		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	YES	YES	Responsive	
	4	Falcon tube 50ml with cap		YES	YES	YES	NO	N/A	YES	YES	YES	YES	NO (The firm has not quoted graduated in technical offer whereas sample has been evaluated as acceptable)	YES	YES	Non-responsive	The firm has offered partial quantity. (Advised required quantity is 150,000 while firm has quoted 100,000)
	5	Centrifuge Polypropylene tubes 1.5 ml		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	YES	YES	Responsive	
	6	PCR tubes strips 0.2ml		YES	YES	YES	NO	N/A	YES	YES	YES	YES	NO (The firm has offered partial quantity although the sample has been evaluated as acceptable)	YES	YES	Non-responsive	The firm has offered partial quantity. (Advised required quantity is 600,000 while firm has quoted 400,000)
	7	Cryo Boxes Polypropylene		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	YES	YES	Responsive	
5	8	Ethanol	M/s Hairo International	YES	YES	YES	NO	N/A	NO	NO	NO	NO	NO	YES	YES	Non-responsive	1. Complete technical offer is not provide 2. Signed & stamp Bid-form on letterhead of the firm is not provided 3. Supplier's declaration is not provided. 4. NTN/GST number is not active. 5. Sample is rejected by end-user. Remarks: Both firms M/s Scientific System and M/s Hairo Int. submitted samples with same Cat. No. and Lot No. (K06300000) but their packing is in different bottles.

Sr. no.	Item no	Quoted Item Name	Firm Name	Valid CNIC Copy of owner	Tender purchase receipt	2% bid security	Complete technical offer with make,model/catalogue number, offered quantity of quoted product along with list of complete accessories to be provided.	Quality Certificate	Signed & Stamped Bid-form on letterhead of the firm	Supplier's Declaration on letterhead of firm	NTN/GST Certificate	Undertaking regarding non black listing/non debarment/non conviction	The technical offer/product evaluation must fully comply with the advertised technical specifications of quoted item.	Undertaking regarding the make,model & country of origin quoted product along with all accessories	The Bidder shall provide samples of the quoted product along brochure /technical data sheet	Status	Reason of Rejection
	13	VTM with swab		YES	YES	YES	NO	N/A	NO	NO	NO	YES	YES	YES	YES	Non-responsive	1. Complete technical offer is not provided. 2. Signed & stamped Bid form on letterhead of the firm is not provided 3. Supplier's declaration is not provided. 4. NTN/GST number is not active.
6	1	Filter tips 1000ul	M/s Scientific system	YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. (Remarks: Samples of M/s Bio Pharma and M/s Scientific System are manufactured by the same manufacturer. However, both firms pasted their sticker to make their own brands. Same Cat. No. and Lot No. are mentioned on the product irrespective of capacity of tips. Further, website of manufacturer mentioned on the samples has also been perused and it is observed that no such tips with quoted lot no. is manufactured by M/s Ningbo Sintrue Medical Instruments Co. Ltd. However, said manufacturer manufactures the 100 tips with quoted Cat. Number. Firm also provided sample of 100 tips each pack and quoted packing of 96 tips. Thus, rejected on the basis of false claim.)
	5	Centrifuge polypropylene tubes 1.5 ml		YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. (Remarks: No manufacturer mentioned on sample. Catalogue No. relates to third party china supplier.)
	8	Ethanol		YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. (Remarks: Both firms M/s Scientific System and M/s Hairo Int. submitted samples with same Cat. No. and Lot No. (K06300000) but their packing is in different bottles.)
	9	Formaline		YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. (Remarks: Quantity in every sample is different.)
	1	Filter tips 1000ul		YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. (Remarks: Samples of M/s Bio Pharma and M/s Scientific System are manufactured by the same manufacturer. However, both firms pasted their sticker to make their own brands. Same Cat. No. and Lot No. are mentioned on the product irrespective of capacity of tips. Further, website of manufacturer mentioned on the samples has also been perused and it is observed that no such tips with quoted lot no. is manufactured by M/s Ningbo Sintrue Medical Instruments Co. Ltd. However, said manufacturer manufactures of 100 tips with quoted Cat. Number. Firm also provided sample of 100 tips each pack and quoted packing of 96 tips. Thus, rejected on the basis of false claim.)

Sr. no.	Item no	Quoted Item Name	Firm Name	Valid CNIC Copy of owner	Tender purchase receipt	Z% bid security	Complete technical offer with make,model/catalogue number, offered quantity of quoted product along with list of complete accessories to be provided.	Quality Certificate	Signed & Stamped Bid-form on letterhead of the firm	Supplier's Declaration on letterhead of firm	NTN/GST Certificate	Undertaking regarding non black listing/non debarment/non conviction	The technical offer/product evaluation must fully comply with the advertised technical specifications of quoted item.	Undertaking regarding the make,model & country of origin quoted product along with all accessories	The Bidder shall provide samples of the quoted product along brochure /technical data sheet	Status	Reason of Rejection	
7	3	Filter tips 10ul	M/s Biopharma	YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. Remarks: Samples of M/s Bio Pharma and M/s Scientific System are manufactured by the same manufacturer. However, both firms pasted their sticker to make their own brands. Same Cat. No. and Lot No. are mentioned on the product irrespective of capacity of tips. Further, website of manufacturer mentioned on the samples has also been perused and it is observed that no such tips with quoted lot no. is manufactured by M/s Ningbo Sintrue Medical Instruments Co. Ltd. However, said manufacturer manufactures of 100 tips with quoted Cat. Number. Firm also provided sample of 100 tips each pack and quoted packing of 96 tips. Thus, rejected on the basis of false claim.	
	13	VTM with swab		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES (Samples are acceptable subject to the condition that the bidder will provide VTM with the barcode sticker pasted on vial as per specifications mentioned in advertised RFQ after receiving serial number from PCR Lab)	YES	YES	Responsive		
	2	Filter tips 100ul		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. (Remarks: Samples of M/s Bio Pharma and M/s Scientific System are manufactured by the same manufacturer. However, both firms pasted their sticker to make their own brands. Same Cat. No. and Lot No. are mentioned on the product irrespective of capacity of tips. Further, website of manufacturer mentioned on the samples has also been perused and it is observed that no such tips with quoted lot no. is manufactured by M/s Ningbo Sintrue Medical Instruments Co. Ltd. However, said manufacturer manufactures of 100 tips with quoted Cat. Number. Firm also provided sample of 100 tips each pack and quoted packing of 96 tips. Thus, rejected on the basis of false claim.)
	4	Falcon tube 50ml with cap		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. Remarks: Packed in zipper bag which is not sealed. Further, no such product exists on the official website of quoted manufacture against said catalogue number.
	6	Centrifuge Polypropylene tubes 1.5 ml		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. Remarks: Packed in zipper bag which is not sealed. As per website of manufacturer packing of quoted item for the Cat. No. STP06-306 is 10,000 pcs while the firm quoted packing of 250 which depicts that the product will be repacked.
	5	PCR tubes strips 0.2ml		YES	YES	YES	YES	N/A	YES	YES	YES	YES	YES	YES	YES	YES	YES	Responsive

Sr. no.	Item no	Quoted Item Name	Firm Name	Valid CNIC Copy of owner	Tender purchase receipt	2% bid security	Complete technical offer with make,model/catalogue number, offered quantity of quoted product along with list of complete accessories to be provided.	Quality Certificate	Signed & Stamped Bid-form on letterhead of the firm	Supplier's Declaration on letterhead of firm	NTN/GST Certificate	Undertaking regarding non black listing/non debarment/non conviction	The technical offer/product evaluation must fully comply with the advertised technical specifications of quoted item.	Undertaking regarding the make,model & country of origin quoted product along with all accessories	The Bidder shall provide samples of the quoted product along brochure /technical data sheet	Status	Reason of Rejection
	12	Distilled water		YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO (Sample is not submitted)	YES	NO	Non-responsive	Sample is not submitted.
8	6	PCR tubes strips 0.2ml	M/s Ayyan molecular	YES	YES	YES	YES	N/A	YES	YES	YES	YES	NO	YES	YES	Non-responsive	Sample is rejected by end-user. Remarks: Brand and manufacturer not available in market and official website of claimed manufacturer.
9	13	VTM with swabs	S-M Solution	YES	YES	YES	NO	N/A	YES	YES	YES	YES	YES (Samples are acceptable subject to the condition that the bidder will provide VTM with the barcode sticker pasted on vial as per specifications mentioned in advertised RFQ after receiving serial number from PCR Lab)	YES	YES	Non-responsive	The firm has offered partial quantity. (Advertised required quantity is 1,000,000 while firm has quoted 700,000)

Note: Aggrieved firms may submit grievance applications uptill 14.01.2021 during office working hours.