

TECHNICAL EVALUATION REPORT OF PROCUREMENT OF PPEs/CHEMICALS/DISINFECTANTS IN ACCORDANCE WITH TECHNICAL GUIDELINES OF WHO FOR PREVENTION & CONTROL OF NOVEL CORONAVIRUS (COVID-19) OUTBREAK FOR FINANCIAL YEAR 2019-20 ON EMERGENCY BASIS PHASE-II

Sr No.	Name of the Firm	Name of the Item	Brand Name	Compulsary parameters									Status (Responsive / non-responsive / substantially responsive)	Reason(s) of Rejection		
				The bidder shall submit copy of valid CNIC of CEO/ Owner	NTN/ GST Certificate of the bidder	The bidder must be Active Tax Payer	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that currently it is not Blacklisted/ Debarred by any Federal, Provincial or Local Government Procuring Agency	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that it has never been convicted by any court of law	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that Bidder/ Firm shall supply the stores of quoted item(s) within given delivery schedule otherwise procuring agency can make risk purchase on account of bidder/ contracting firm.	The bidder shall provide undertaking, on valid Rs.100 judicial stamp paper duly verified by notary public, that the prices quoted to the Procuring Agency, against the item(s) mentioned at RFQ are not more than the Trade Prices as per MRP (Maximum Retail Price) if it is fixed by the Government. If MRP is not fixed, then the quoted price should not be more than prevailing market price.	The offer must comply with the advertised technical specifications of the quoted item.	The bidder will provide two samples (two packs) along with RFQ for technical evaluation.				
1	M/S Medicine Company	WATER RESISTANT GOWNS	GreetMed-China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not provided	
		PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	Changling lingaikang-China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not provided	
		GOGGLES, PROTECTIVE	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not provided	
		ALCOHOL-BASED HAND RUB	Pro-Enol	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		ALCOHOL-BASED HAND RUB	Pro-San	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		BODY BAG	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not provided
FACE SHIELD	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not provided		
2	M/s JamSung Private Limited	WATER RESISTANT GOWNS	Bake	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.	
		SURGICAL MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.	
3	M/S Certopharm	GOGGLES, PROTECTIVE	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
4	M/S Al-Hakeem Traders	WATER RESISTANT GOWNS	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		GLOVES, STERILE	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		SURGICAL MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		GOGGLES, PROTECTIVE	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		SHOE COVER	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		LONG SHOES	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		ALCOHOL-BASED HAND RUB	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		BODY BAG	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		FACE SHIELD	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		SCRUBS, TOPS	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		GLOVES EXAMINATION, NON-STERILE	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
GLOVES, CLEANING	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided			
5	M/S Iftikhar Ali Enterprises	WATER RESISTANT GOWNS	Local	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.	
		PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		GLOVES, STERILE	Medi-Grip	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		SHOE COVER	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
		LONG SHOES	National	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications. As the Material Stuf is not of Good Quality.	
ALCOHOL-BASED HAND RUB	Germ-Off	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive			

TECHNICAL EVALUATION REPORT OF PROCUREMENT OF PPEs/CHEMICALS/DISINFECTANTS IN ACCORDANCE WITH TECHNICAL GUIDELINES OF WHO FOR PREVENTION & CONTROL OF NOVEL CORONAVIRUS (COVID-19) OUTBREAK FOR FINANCIAL YEAR 2019-20 ON EMERGENCY BASIS PHASE-II														
Sr No.	Name of the Firm	Name of the Item	Brand Name	Compulsary parameters									Status (Responsive / non-responsive / substantially responsive)	Reason(s) of Rejection
				The bidder shall submit copy of valid CNIC of CEO/ Owner	NTN/ GST Certificate of the bidder	The bidder must be Active Tax Payer	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that currently it is not Blacklisted/ Debarred by any Federal, Provincial or Local Government Procuring Agency	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that it has never been convicted by any court of law	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that Bidder/ Firm shall supply the stores of quoted item(s) within given delivery schedule otherwise procuring agency can make risk purchase on account of bidder/ contracting firm.	The bidder shall provide undertaking, on valid Rs.100 judicial stamp paper duly verified by notary public, that the prices quoted to the Procuring Agency, against the item(s) mentioned at RFQ are not more than the Trade Prices as per MRP (Maximum Retail Price) if it is fixed by the Government. If MRP is not fixed, then the quoted price should not be more than prevailing market price.	The offer must comply with the advertised technical specifications of the quoted item.	The bidder will provide two samples (two packs) along with RFQ for technical evaluation.		
6	M/S Zulfiqar Security Company (Pvt.) Ltd.	WATER RESISTANT GOWNS	Pakistan	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
		PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		GLOVES, STERILE	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		SURGICAL MASK	Pakistan	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		GOGGLES, PROTECTIVE	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		SHOE COVER	Pakistan	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		LONG SHOES	Pakistan	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		ALCOHOL-BASED HAND RUB	Pakistan	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		BODY BAG	Sample Type-1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
		BODY BAG	Sample Type-2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
		CHLORINE	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		FACE SHIELD	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		SCRUBS, TOPS	Pakistan	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
GLOVES EXAMINATION, NON-STERILE	Scotch-Brite	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	Sample of Quoted Item does Not confirm to the specifications.	
GLOVES, CLEANING	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided	
7	M/S Al-Waali Care Concepts	SURGICAL MASK	RWC	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Responsive	
8	M/S MH Pharma	SHOE COVER	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
9	M/S Al Falah Medicose	WATER RESISTANT GOWNS	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
10	M/S Links Communication System	PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
		SURGICAL MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
11	M/S Al-Hamd Enterprises	GLOVES, STERILE	-	No	Yes	Yes	No	No	No	No	No	No	Non-Responsive	Sample Not Provided
		GLOVES EXAMINATION, NON-STERILE	-	No	Yes	Yes	No	No	No	No	No	No	Non-Responsive	Sample Not Provided

TECHNICAL EVALUATION REPORT OF PROCUREMENT OF PPEs/CHEMICALS/DISINFECTANTS IN ACCORDANCE WITH TECHNICAL GUIDELINES OF WHO FOR PREVENTION & CONTROL OF NOVEL CORONAVIRUS (COVID-19) OUTBREAK FOR FINANCIAL YEAR 2019-20 ON EMERGENCY BASIS PHASE-II

Sr No.	Name of the Firm	Name of the Item	Brand Name	Compulsary parameters									Status (Responsive / non-responsive / substantially responsive)	Reason(s) of Rejection	
				The bidder shall submit copy of valid CNIC of CEO/ Owner	NTN/ GST Certificate of the bidder	The bidder must be Active Tax Payer	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that currently it is not Blacklisted/ Debarred by any Federal, Provincial or Local Government Procuring Agency	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that it has never been convicted by any court of law	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that Bidder/ Firm shall supply the stores of quoted item(s) within given delivery schedule otherwise procuring agency can make risk purchase on account of bidder/ contracting firm.	The bidder shall provide undertaking, on valid Rs.100 judicial stamp paper duly verified by notary public, that the prices quoted to the Procuring Agency, against the item(s) mentioned at RFQ are not more than the Trade Prices as per MRP (Maximum Retail Price) if it is fixed by the Government. If MRP is not fixed, then the quoted price should not be more than prevailing market price.	The offer must comply with the advertised technical specifications of the quoted item.	The bidder will provide two samples (two packs) along with RFQ for technical evaluation.			
12	M/S Bio Pharma International	WATER RESISTANT GOWNS	Local	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive		
		GOGGLES, PROTECTIVE	Not Mentioned-Sample type-1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		GOGGLES, PROTECTIVE	Peter Jafe , Sample Type-2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
		FACE SHIELD	Blue Eagle	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		GLOVES EXAMINATION, NON-STERILE	AXGLOVE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		GLOVES EXAMINATION, NON-STERILE	Sempermed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
13	M/S Ayyan Molecular Products	WATER RESISTANT GOWNS	Local	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive		
		PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample Not Provided
		ALCOHOL-BASED HAND RUB	Protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		BODY BAG	Cedar Wood State	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
14	M/S Hiaro International	WATER RESISTANT GOWNS	HUAWEI Mate 30 pro 5G	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive		
		PARTICULATE RESPIRATOR, GRADE N95 OR HIGHER FACE MASK	StaySafe	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
		GOGGLES, PROTECTIVE	Clear PC Lenns SG28-1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		ALCOHOL-BASED HAND RUB	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
15	M/S Ample Global Enterprises (Pvt.) Ltd.	ALCOHOL-BASED HAND RUB	Local	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	No Proper Labeling, Poor consistency/ Physical appearance , Not recommended by committee.	
16	M/S Endoaid Biomedica	GLOVES, STERILE	Abimax	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive		

TECHNICAL EVALUATION REPORT OF PROCUREMENT OF PPEs/CHEMICALS/DISINFECTANTS IN ACCORDANCE WITH TECHNICAL GUIDELINES OF WHO FOR PREVENTION & CONTROL OF NOVEL CORONAVIRUS (COVID-19) OUTBREAK FOR FINANCIAL YEAR 2019-20 ON EMERGENCY BASIS PHASE-II															
Sr No.	Name of the Firm	Name of the Item	Brand Name	Compulsary parameters									Status (Responsive / non-responsive / substantially responsive)	Reason(s) of Rejection	
				The bidder shall submit copy of valid CNIC of CEO/ Owner	NTN/ GST Certificate of the bidder	The bidder must be Active Tax Payer	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that currently it is not Blacklisted/ Debarred by any Federal, Provincial or Local Government Procuring Agency	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that it has never been convicted by any court of law	The bidder shall provide undertaking on valid Rs.100 judicial stamp paper duly verified by notary public, that Bidder/ Firm shall supply the stores of quoted item(s) within given delivery schedule otherwise procuring agency can make risk purchase on account of bidder/ contracting firm.	The bidder shall provide undertaking, on valid Rs.100 judicial stamp paper duly verified by notary public, that the prices quoted to the Procuring Agency, against the item(s) mentioned at RFQ are not more than the Trade Prices as per MRP (Maximum Retail Price) if it is fixed by the Government. If MRP is not fixed, then the quoted price should not be more than prevailing market price.	The offer must comply with the advertised technical specifications of the quoted item.	The bidder will provide two samples (two packs) along with RFQ for technical evaluation.			
17	M/S Signart Communications	WATER RESISTANT GOWNS	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.	
		GLOVES, STERILE	Gammex Latex	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive		
		SURGICAL MASK	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Non-Responsive	Sample of Quoted Item does Not confirm to the specifications.
		GOGGLES, PROTECTIVE	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not provided
		SHOE COVER	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not Provided
		ALCOHOL-BASED HAND RUB	Care	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		SCRUBS, TOPS	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not Provided
		GLOVES EXAMINATION, NON-STERILE	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
GLOVES, CLEANING	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Non-Responsive	Sample not provided		