



Technical Evaluation Report for Procurement of Consumable Laboratory Items for Sampling & Testing of Novel Coronavirus (COVID-19) for FY 2020-21 on Emergency Basis



Directorate General of Health Services, Punjab

Sl. No.	Item	Item Name	Brand quoted	Mfg Name	Manuf/Model	Original tender purchase	Copy of CNIC/Owner of the firm	NTI/ST Certificate	Active Tax Payer	2x Bid Security	Establishment registration certificate / license (where applicable)	Drug Sale License (where applicable)	Enforce certificate from DGAP (where applicable)	Balanced/Overdrawn (understanding)	Committed any contract (understanding)	Store of goods (Inventory schedule) (understanding)	Price quoted (understanding)	Compliance with technical specifications	Attached Jil Bid forms	Two samples (evaluation by end user)	Consistency of origin on the bid with catalogue number	Availability on the website of the manufacturer	Annual turnover of last three financial years	Status	Remarks
1	Covid 19 PCR application kit	Avaya Molecular Products	COVID-19 detection kit (PCR probe synthesis)	Zhejiang ZhongChun	COVID-19	Yes	Yes	Yes	Yes	Yes	No	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. Establishment certificate not attached. 2. Original tender form is not submitted. 3. Bid was used with different Mfg. (bidder's comment)
2	Covid 19 PCR application kit	Bingqun	Real time PCR kit for COVID-19	Shenzhen 27kit kit (real time PCR)	80330	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	1. Valid certificate & price quotation (bidder's comment)
3	Covid 19 PCR application kit	Car e Scientific	Real time PCR kit for novel coronavirus (2019-nCoV) (RT-PCR)	Shenzhen Car e Scientific Technology Co Ltd China	507 R-DB-02	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Non-Responsive	1. Valid PCR kit & certificate. 2. Original tender form is not submitted. 3. Bidder's comment: "I am a small business and I don't have the capacity to supply large quantities of PCR kits."
4	Covid 19 PCR application kit	Chemical House	Uni- Shenzhen Unimetrica Technology Co Ltd China	8030 02	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Non-Responsive	1. Valid PCR kit & certificate. 2. Original tender form is not submitted. 3. Bidder's comment: "I am a small business and I don't have the capacity to supply large quantities of PCR kits."
5	Covid 19 PCR application kit	Gibco Ceraid Cura	Bioplectra 1 Test Kit	Bioplectra Technology Co Ltd China	KC0223 1MW	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Non-Responsive	1. Valid PCR kit & certificate. 2. Original tender form is not submitted. 3. Bidder's comment: "I am a small business and I don't have the capacity to supply large quantities of PCR kits."
6	Covid 19 PCR application kit	Gibco Vx44444	SARS-CoV-2 Real Time RT-PCR	Sicare Biotechnology Co Ltd China	V44444	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Non-Responsive	1. Valid PCR kit & certificate. 2. Original tender form is not submitted. 3. Bidder's comment: "I am a small business and I don't have the capacity to supply large quantities of PCR kits."
7	Covid 19 PCR application kit	INC Master Supply Group	COVID-19 detection kit (PCR probe synthesis)	Zhejiang ZhongChun	COVID-19	Yes	Yes	Yes	Yes	Yes	No	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Non-Responsive	1. Establishment certificate not attached. 2. Original tender form is not submitted. 3. Bid was used with different Mfg. (bidder's comment)

(Handwritten signatures and initials)



Directorate General of Health Services, Punjab
 Technical Evaluation Report for Procurement of Consumable Laboratory Items for Sampling & Testing of
 Novel Coronavirus (COVID-19) for FY 2020-21 on Emergency basis



Sr. Bid Inquiry No	Item	Firm Name	Brand quoted	Mfg Name	Make/Model	Original receipt of tender purchase	Copy of Certificate of Ownership of the firm	NTN/GST Certificate	Active Tax Payer	2% Bid Security	Establishment registration certificate / long standing license (where applicable)	Drug Sale License (where applicable)	Establishment certificate from DGHP (where applicable)	Ballasted / Desalted (understanding)	Committed by company (understanding)	Stores and delivery schedule (understanding)	Price quoted to the Procuring Agency (understanding)	Compliance with the advertised technical specifications	Attached all bid forms	Two samples (Evaluation by end user)	Country of origin on the bid with catalogue number	Availability on current official website of the manufacturer	Annual Turnover of last three financial years	Status	Remarks	
8	COVID-19 PCR amplification kit	MC Services	SARS-CoV-2 RT-PCR Test Kit	Asan China	P131-1591	Yes	Yes	Yes	Yes	Yes	No	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Non-responsive	1. Establishment certificate not provided 2. Drug sale license not provided 3. Invald PCR controls, No IC in some samples and different results on random samples run & ambiguous results on target channel (End user comment)
9	COVID-19 PCR amplification kit	Pakistan Biotechnological Industries	Novel Corona Virus (COVID-19) Serology time PCR kit	Syriaan Corona Diagnostic product USA	SD0506	Yes	Yes	Yes	Yes	Yes	No	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Non-responsive	1. Establishment certificate not provided 2. Drug sale license not provided 3. Product of not available on website 4. Invald PCR controls & ambiguous results on random samples (End user comment)
10	COVID-19 PCR amplification kit	Popular International Pvt Ltd	Popular Corona Virus Serology time PCR kit	Acetada Geneworks	ABCDWI	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1. Valid controls & valid random samples run & satisfactory (End user comment)	

Pharmacist (M&E)
(Member)

Additional Director (EP&CD)
(Representative)

Deputy Director (Pharmacy)
(Member)

Deputy Program Manager (HCP)
(Member)

Director (M&E)
(Convener)