

**TECHNICAL EVALUATION REPORT FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTS FOR THE FY 2023-24**

Sr. #	Name of the Firm	Name of the Item	Quoted Brand	Pack Size	Catalogue Number	Country of Origin	Original Tender Receipt	2% Bid Security	NTN/GST Number with Documentary Proof	Valid DML (In Case of Mnufacturer)	Establishment Registration Certificate (In Case of Imported Product)	Authorization Letter	Valid DSL (Where Applicable)	Valid Enlistment Certificate (Where Applicable)	Valid GMP	Non-Blacklisting/Non-Debarment by DGHS (Undertaking)	Compliance with Advertised Specifications (Documentary Evidence & Affidavit)	Product's Valid CE / JHMLW / US FDA / Prequalification by WHO	Cumulative Financial Turnover (2019-20, 2020-21, & 2021-22) must not be less than at least 300 Million Rupees	One Year Experience of the Quoted Product in Public Sector (Since July 2019 Onwards)	Terms and Conditions (Undertaking)	Information Provided by the Firm is in Accordance with the Terms & Conditions (Undertaking)	Certificate of Analysis	Sample Evaluation	Status	Remarks
1	Popular International (PVT) LTD.	Pregnancy Test Strips	Basecheck Pregnancy Rapid Test Strips	25 Test/Box	FHC-101	USA	Yes	Yes	Yes	N/A	Yes	Yes	Yes	N/A	N/A	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Non-Responsive	1. The address of manufacturing site mentioned on the quality certification (USFDA) is not as per enlistment certificate. 2. Delivery challans and satisfactory reports of the submitted POs are not attached.

**TECHNICAL EVALUATION REPORT FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTS FOR THE FY 2023-24**

**Pharmacist CEO Health Office**

**Deputy Director Pharmacy**

**Deputy Program Manager (HCP)**

**Logistic Officer (HCP)**

**Additional Director Health Services MS & DC**

**Director Health Services (EPI)**

TECHNICAL EVALUATION REPORT RECEIVED FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTs FOR THE FY 2023-24

Sr. #	Name of Item (Generic)	Firm Name	Quoted Brand	Pack Size	Country of Origin	Original Purchase Receipt	2% Bid Security	Valid Establishment License (For Local Manufacturer / Sole Agent)	Authorization Letter	Valid DSL	Valid Device Enlistment Certificate	Valid ISO 13485	Product's Valid CE / JHMLW / US FDA / Prequalification by WHO	"Firm is not Declared Blacklisted / Debarred by DGHS, Punjab" (Undertaking)	NTN/GST Number with Documentary Proof	Country of Origin with Catalogue / Model Number on Bid Coversheet	Offered Specifications must Comply with the Advertised Technical Specifications of the Quoted Item (Documentary Evidence & Affidavit)	Cumulative Financial Turnover (2019-20, 2020-21, & 2021-22) at least Equivalent to the Estimated Cost of the Quoted Item	One Year Experience of the Quoted Product in Public Sector (Since July 2019 Onwards)	"The Applicant Accepts all the Terms and Conditions" (Undertaking)	"Information Provided by the Firm is in Accordance with the Terms & Conditions " (Undertaking)	Sample Evaluation	Status	Remarks	
1	Reagents/Chemicals for Complete Blood Count (CBC) Test	1. Cell Pack (Diluent) Cat # P88408711	S. Ejazuddin & Co.	Sysmex	20 Liter	Singapore	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive		
		2. Stromatcycler WH (Lyse) Cat # P97405216	S. Ejazuddin & Co.	Sysmex	1x500 mL		Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
		3. Eight Check (Control) Low Cat # 00404015	S. Ejazuddin & Co.	Sysmex	1.5 mL	Japan	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. Samples not submitted.
		4. Eight Check (Control) Normal Cat # 00403915	S. Ejazuddin & Co.	Sysmex	1.5 mL		Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. Samples not submitted.
2	Reagents/Chemicals for Complete Blood Count (CBC) Test	1. Cell Pack Cat No. 1131	PK Medi Engineering	B & E	20 Liter	China	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	No	No	No	No	No	Yes	Non-Responsive	1. DSL is not attached. 2. CE / JHMLW / US FDA / Prequalification by WHO of the quoted item is not attached. 3. Undertaking "Firm is not declared blacklisted / debarred by DGHS, Punjab" is not attached. 4. Taxpayer is non-active. 5. Affidavit regarding fulfillment of all requirements mentioned in the advertised specifications is not attached. 6. Cumulative financial turnover of three financial years (2019-20, 2020-21, 2021-22) is less than the estimated cost of the quoted item. 7. One year experience of the quoted product in public sector since July 2019 onwards is not attached. 8. Undertaking "The applicant accepts all the terms and conditions" is not attached. 9. Undertaking "Information provided by the firm is in accordance with the terms & conditions" is not attached. 10. The quoted item is not compatible with Sysmex machine.	
		2. Stromatcycler Cat No. 1276	PK Medi Engineering	B & E	500 mL	China	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	No	No	No	No	No	Yes	Non-Responsive	1. DSL is not attached. 2. CE / JHMLW / US FDA / Prequalification by WHO of the quoted item is not attached. 3. Undertaking "Firm is not declared blacklisted / debarred by DGHS, Punjab" is not attached. 4. Taxpayer is non-active. 5. Affidavit regarding fulfillment of all requirements mentioned in the advertised specifications is not attached. 6. Cumulative financial turnover of three financial years (2019-20, 2020-21, 2021-22) is less than the estimated cost of the quoted item. 7. One year experience of the quoted product in public sector since July 2019 onwards is not attached. 8. Undertaking "The applicant accepts all the terms and conditions" is not attached. 9. Undertaking "Information provided by the firm is in accordance with the terms & conditions" is not attached. 10. The quoted item is not compatible with Sysmex machine.

TECHNICAL EVALUATION REPORT RECEIVED FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTs FOR THE FY 2023-24

3	CBC Vials/Tubes 3mL Ref # C303030	Ayyan Molecular Products	Renji Medical Equipment, China	100	China	Yes	Yes	Yes	Yes	No	N/A	Yes	No	No	Yes	Yes	No	No	No	No	No	Yes	Non-Responsive	1. Expired DSL is attached. 2. CE / JHMLW / US FDA / Prequalification by WHO of the quoted item is not attached. 3. Undertaking "Firm is not declared blacklisted / debarred by DGHS, Punjab" is not attached. 4. Affidavit regarding fulfillment of all requirements mentioned in the advertised specifications is not attached. 5. FBR income tax returns/sales tax returns for FY 2019-20 are not attached. 6. One year experience of the quoted product in public sector since July 2019 onwards is not attached. 8. Undertaking "The applicant accepts all the terms and conditions" is not attached. 9. Undertaking "Information provided by the firm is in accordance with the terms & conditions" is not attached.
4	Gel Vials/Tubes 4mL Ref # C305040	Ayyan Molecular Products	Renji Medical Equipment, China	100	China	Yes	Yes	Yes	Yes	No	N/A	Yes	No	No	Yes	Yes	No	No	No	No	No	Yes	Non-Responsive	1. Expired DSL is attached. 2. CE / JHMLW / US FDA / Prequalification by WHO of the quoted item is not attached. 3. Undertaking "Firm is not declared blacklisted / debarred by DGHS, Punjab" is not attached. 4. Affidavit regarding fulfillment of all requirements mentioned in the advertised specifications is not attached. 5. FBR income tax returns/sales tax returns for FY 2019-20 are not attached. 6. One year experience of the quoted product in public sector since July 2019 onwards is not attached. 8. Undertaking "The applicant accepts all the terms and conditions" is not attached. 9. Undertaking "Information provided by the firm is in accordance with the terms & conditions" is not attached.
5	Co-agulation PT/aPTT Vials/Tubes 1.8 mL Ref # C309018	Ayyan Molecular Products	Renji Medical Equipment, China	100	China	Yes	Yes	Yes	Yes	No	N/A	Yes	No	No	Yes	Yes	No	No	No	No	No	Yes	Non-Responsive	1. Expired DSL is attached. 2. CE / JHMLW / US FDA / Prequalification by WHO of the quoted item is not attached. 3. Undertaking "Firm is not declared blacklisted / debarred by DGHS, Punjab" is not attached. 4. Affidavit regarding fulfillment of all requirements mentioned in the advertised specifications is not attached. 5. FBR income tax returns/sales tax returns for FY 2019-20 are not attached. 6. One year experience of the quoted product in public sector since July 2019 onwards is not attached. 8. Undertaking "The applicant accepts all the terms and conditions" is not attached. 9. Undertaking "Information provided by the firm is in accordance with the terms & conditions" is not attached.
6	Alanine Transaminase (ALT) Kit BLT00052	Mian Scientific Corporation (Pvt) Ltd.	Erba	5x50mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
7	Aspartate Aminotransferase (AST) Kit BLT00050	Mian Scientific Corporation (Pvt) Ltd.	Erba	5x50mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
8	Total Bilirubin Kit BLT00010	Mian Scientific Corporation (Pvt) Ltd.	Erba	4x50mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
9	Alkaline Phosphatase (ALP) Kit BLT00003	Mian Scientific Corporation (Pvt) Ltd.	Erba	5x30mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
10	Urea Kit BLT00061	Mian Scientific Corporation (Pvt) Ltd.	Erba	5x50mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
11	Creatinine Kit BLT00020	Mian Scientific Corporation (Pvt) Ltd.	Erba	4x50mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. DSL is not attached. 2. Sample not submitted.
12	Blood Sugar Test Kit BLT00025	Mian Scientific Corporation (Pvt) Ltd.	Erba	2x250mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. DSL is not attached. 2. Sample not submitted.
13	Uric Acid Test Kit BLT00062	Mian Scientific Corporation (Pvt) Ltd.	Erba	4x50mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
14	Calcium Test Kit BLT00015	Mian Scientific Corporation (Pvt) Ltd.	Erba	2x50mL	Czech Republic	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
15	CBC Vial/Tube 3mL GED203LP	Mian Scientific Corporation (Pvt) Ltd.	d-vac	100	Cyprus	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
16	Gel Vial/Tube 4mL GGC204GP	Mian Scientific Corporation (Pvt) Ltd.	d-vac	100	Cyprus	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. DSL is not attached.
17	PT/aPTT Vial/Tube 1.8mL GPT2018LP	Mian Scientific Corporation (Pvt) Ltd.	d-vac	100	Cyprus	Yes	Yes	Yes	Yes	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. DSL is not attached. 2. The submitted sample of the quoted item is not as per bid coversheet w.r.t. volume.

TECHNICAL EVALUATION REPORT RECEIVED FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTs FOR THE FY 2023-24

18	CBC Vial/Tube 3mL 2023LHQ03		Allied Health Care	Bolton	100	China	Yes	Yes	N/A	Yes	Yes	N/A	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. ISO 13485 is not verified.
19	Gel Vial/Tube 4mL 2022LHQ07		Allied Health Care	Bolton	100	China	Yes	Yes	N/A	Yes	Yes	N/A	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. ISO 13485 is not verified.
20	PT/aPTT Vial/Tube 1.8mL 2021LHQ09		Allied Health Care	Bolton	100	China	Yes	Yes	N/A	Yes	Yes	N/A	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. ISO 13485 is not verified.
21	Alanine Transaminase (ALT) Kit 127019910021		BioPharma International	DiaSys	R1 5x20mL R2 1x25mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
22	Aspartate Aminotransferase (AST) Kit 126019910021		BioPharma International	DiaSys	R1 5x20mL R2 1x25mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
23	Total Bilirubin Kit 108119910021		BioPharma International	DiaSys	R1 5x20mL R2 1x25mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. Sample not submitted.	
24	Alkaline Phosphatase (ALP) Kit 104119910021		BioPharma International	DiaSys	R1 5x20mL R2 1x25mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
25	Urea Kit 131019910021		BioPharma International	DiaSys	R1 5x20mL R2 1x25mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
26	Creatinine Kit 117119910021		BioPharma International	DiaSys	R1 5x20mL R2 1x25mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
27	Blood Sugar Test Kit 125009910023		BioPharma International	DiaSys	1000mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
28	Uric Acid Test Kit 130219910021		BioPharma International	DiaSys	R1 5x20mL R2 1x25mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
29	CBC Vial/Tube 3mL G20211		BioPharma International	D-VAC	100	China	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
30	Gel Vial/Tube 4mL G301811		BioPharma International	D-VAC	100	China	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
31	PT/aPTT Vial/Tube 1.8mL G20311		BioPharma International	D-VAC	100	China	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Responsive	
32	Alanine Transaminase (ALT) 12012		Popular International (PVT) LTD.	GPT (ALAT) IFCC mod. liquiUV	10x10mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
33	Aspartate Aminotransferase (AST) 12011		Popular International (PVT) LTD.	GOT (ASAT) IFCC mod. liquiUV	10x10mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
34	Total Bilirubin 10012		Popular International (PVT) LTD.	BIURUBIN Iquicolor	200mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
35	Alkaline Phosphatase (ALP) 12117		Popular International (PVT) LTD.	ALKALINE PHOSPHATASE opt. Iquicolor IFCC	10x10mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
36	Urea Kit 10505		Popular International (PVT) LTD.	UREA Iquicolor	2x100mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
37	Creatinine Kit 10052		Popular International (PVT) LTD.	auto-CREATININE Iquicolor	250mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size. 2. Sample not submitted.	
38	Blood Sugar Test Kits 10260		Popular International (PVT) LTD.	GLUCOSE Iquicolor	4x100mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size. 2. Sample not submitted.	
39	Uric Acid Test Kit 10690		Popular International (PVT) LTD.	URIC ACID Iquicolor	4x30mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
40	Calcium Test Kit 10011		Popular International (PVT) LTD.	CALCIUM Iquicolor	200mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size. 2. Sample not submitted.	
41	Prothrombin Test (PT) 31002		Popular International (PVT) LTD.	HEMOSTAT THROMBOPLASTIN-SI	6x2mL/60 Test	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
42	Activated Partial Thromboplastin Time Test (aPTT) 33012		Popular International (PVT) LTD.	HEMOSTAT aPTT-EL	6x4mL/240 Test	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Non-Responsive	1. The offered specifications of the quoted item do not comply with the advertised technical specifications w.r.t the quoted pack size.
43	Reagents/Chemicals for Complete Blood Count (CBC) Test Mission Hematology Reagents	Diluent	Popular International (PVT) LTD.		20 Liter	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. Catalogue/model number of the quoted item not mentioned on the bid coversheet. 2. Sample not submitted.	
		Lyse	Popular International (PVT) LTD.		500mL	Germany	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. Catalogue/model number of the quoted item not mentioned on the bid coversheet. 2. Sample not submitted.
44	Reagents/Chemicals for Complete Blood Count (CBC) Test Hematology 80TS	HC-Diluent 17400/11	Popular International (PVT) LTD.		20 Liter	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. Sample not submitted.	
		HC-Lyse 17400/22	Popular International (PVT) LTD.		1000mL	Germany	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Non-Responsive	1. Sample not submitted.

TECHNICAL EVALUATION REPORT RECEIVED FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTS FOR THE FY 2023-24

	Reagents	HC-Cleaner 17400/31	Popular International (PVT) LTD.		1000mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	No	Non- Responsive	1. Sample not submitted.
45	Reagents/Chemicals for Complete Blood Count (CBC) Test Humacount 5D CRP Reagents	HCS-D-Diluent 16450/100	Popular International (PVT) LTD.		20 Liter	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non- Responsive	1. Sample not submitted.
		HCS-D-CBC Lyse 16450/20	Popular International (PVT) LTD.		200mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non- Responsive	1. Sample not submitted.
		HCS-D-Diff Lyse 16450/30	Popular International (PVT) LTD.		500mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non- Responsive	1. Sample not submitted.
		HCS-D-Cleaner 16450/60	Popular International (PVT) LTD.		50mL	Germany	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Non- Responsive	1. Sample not submitted.

TECHNICAL EVALUATION REPORT FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTS FOR THE FY 2023-24

Sr. #	Name of Item	Firm Name	Manufactured By	Country of Origin	Original Receipt of Purchase of Tender	CNIC Copy of Owner	Valid DM/License to Manufacture Medical Devices/ License to Import Medical Devices	Valid Drug Sale License	2% Bid Security of Estimated Cost	NTN/GST & ATL	Product Eligibility (Availability Confirmed from Purchase Order/ Supply Order)	Quoted Item must Comply 100% with Advertised Technical Specifications	Documentary Evidence of Specifications along with Affidavit	Acceptance of Terms & Conditions (Undertaking)	Sole Agency Agreement/ Authorization Letter	Country of Origin/Brand Name & Country of Manufacturer (Undertaking)	Product Availability on website of Manufacturer	Brand name Mentioned on Bid Data Sheet	Firm is not Debarred/ Blacklisted/ Debarred by DGIS (Undertaking)	Samples/ Brochures/ Leaflets	Status	Past Performance of the Bidder (since July 2019 till Submission of Bid)	Valid ISO Certificate	Valid Quality Certification/ CE/ JMW/ US FDA / WHO prequalified	Establishment License Issued by Drug	Cumulative Turnover of Three FY (2019-2020, 2020-2021 & 2021-22) Equivalent to Estimated Cost of the Quoted Item(s)	Managerial Staff	Technical Staff	Sales Staff	Marks obtained	Qualifying Marks	Remarks
1	Cement Zinc Oxide Eugenol (100g + 30ml)	M/S Advance Western	Swiss	PD-Swiss	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	5	5	5	0	2	4	0	21	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
2	Composite (Flowable)	M/S Advance Western	Korea	Spident-Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	0	5	5	0	2	4	0	16	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
3	Silver Alloy Reinforced (32g +8.9ml)	M/S Advance Western	Japan	Shofu-Japan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
4	Calcium Hydroxide Paste (4.5g +3ml)	M/S Advance Western	Swiss	PD-Swiss	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	5	5	5	0	2	4	0	21	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
5	Endomethazone (14g +10ml)	M/S Advance Western	France	Septodont- France	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	0	5	5	0	2	4	0	16	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
6	Paper Points (15-40, 45-80, 90-140)	M/S Advance Western	Korea	Sure Endo- Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Samples/ Brochures/ Leaflets not provided. 4. Quoted item did not obtain qualifying marks.
7	Gutta Percha Points (15-40, 45-80, 90-140)	M/S Advance Western	Korea	Sure Endo- Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
8	Paper Points (For Rotary Protaper)	M/S Advance Western	Korea	Sure Endo- Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
9	Gutta Percha Points (For Rotary Protaper)	M/S Advance Western	Korea	Sure Endo- Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.

TECHNICAL EVALUATION REPORT FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTS FOR THE FY 2023-24

10	Alveogyl 10g	M/S Advance Western	France	Septodont- France	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	0	0	5	5	0	2	4	0	16	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
11	Detartine 45g	M/S Advance Western	France	Septodont- France	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	0	0	5	5	0	2	4	0	16	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
12	Root Canal Sealer Silver Free (15g + 15ml)	M/S Advance Western	Swiss	FD- Swiss	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	0	5	5	5	0	2	4	0	21	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
13	Hand Piece Oil	M/S Advance Western	Taiwan	Changming-Taiwan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
14	k-type files (6,8,10,15-40) Imp set	M/S Advance Western	China	UDG- China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
15	C-type files (6,8,10,15-40) Imp set	M/S Advance Western	China	UDG- China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
16	H-Files (13-40, 45-60, 90-140)	M/S Advance Western	China	UDG- China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	0	0	0	5	0	2	4	0	11	42	1. Drug sale license not attached. 2. Undertaking regarding country of origin, brand name & country of manufacturer not attached. 3. Quoted item did not obtain qualifying marks.
17	Cement Glass Ionomer (15g+4g (6.9ml)) Powder / Liquid	UNIVERSAL DENTAL (PVT) LTD.	Australia	SDI-Australia	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	15	5	5	5	0	0	0	0	30	42	1. Country of origin,brand name & country of manufacturer not mentioned on affidavit. 2. Quoted item did not obtain qualifying marks.
18	Composite (Flowable)	UNIVERSAL DENTAL (PVT) LTD.	Australia	SDI-Australia	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	10	5	5	5	0	0	0	0	25	42	1. Country of origin,brand name & country of manufacturer not mentioned on affidavit. 2. Quoted item did not obtain qualifying marks.
19	Silver Alloy Reinforced (32g +8.9ml)	UNIVERSAL DENTAL (PVT) LTD.	Australia	SDI-Australia	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	Yes	No	Not Complied	0	5	5	5	0	0	0	0	15	42	1. Quoted item did not have one year availability. 2. Quoted item did not comply 100% with advertised technical specifications. 3. Country of origin,brand name & country of manufacturer not mentioned on affidavit.	
20	Mercury for Amalgam Filling	UNIVERSAL DENTAL (PVT) LTD.	Australia	SDI-Australia	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	10	5	5	5	0	0	0	0	25	42	1. Country of origin,brand name & country of manufacturer not mentioned on affidavit. 2. Quoted item did not obtain qualifying marks.
54	Polishing brushes	Pakistan Hospital and Laboratory CO.	Promsee-Dental China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Complied	10	0	5	5	20	1	3	2	46	42	1. Valid DSL not attached.



TECHNICAL EVALUATION REPORT FOR THE PROCUREMENT OF DRUGS/ MEDICINES (OCB PHASE-III), DENTAL ITEMS MATERIALS, LAB REAGENTS CHEMICALS AND PREGNANCY STRIPS CHOLERA'S RDTS FOR THE FY 2023-24

55	Barrier Films	Pakistan Hospital and Laboratory CO.	Promisee-Dental China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	5	0	5	5	20	1	3	2	41	42	1. Valid DSL not attached. 2. Quoted item did not obtain qualifying marks.
56	Disposable Dental Mini Examination Kit (7PCs)	Pakistan Hospital and Laboratory CO.	China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	5	0	5	5	20	1	3	2	41	42	1. Valid DSL not attached. 2. Quoted item did not obtain qualifying marks.
57	Cement Glass Ionomer	Pakistan Hospital and Laboratory CO.	GC Japan	Japan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
58	Cement Zinc Phosphate	Pakistan Hospital and Laboratory CO.	GC Japan	Japan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	5	5	5	5	20	1	3	2	46	42	Valid DSL not attached.
59	Composite (Flowable)	Pakistan Hospital and Laboratory CO.	Meta-Biomed Korea	Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
61	Calcium Hydroxide Paste	Pakistan Hospital and Laboratory CO.	Meta-Biomed Korea	Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
62	Root Canal Sealer Silver Free	Pakistan Hospital and Laboratory CO.	Meta-Biomed Korea	Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
63	EDTA Gel	Pakistan Hospital and Laboratory CO.	Meta-Biomed Korea	Korea	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	15	5	5	5	20	1	3	2	56	42	Valid DSL not attached.
64	Paper Points (15-40, 45-80, 90-140)	Pakistan Hospital and Laboratory CO.	Gapadent-China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	5	5	5	5	20	1	3	2	46	42	Valid DSL not attached.
65	Gutta Percha points (15-40, 45-80, 90-140)	Pakistan Hospital and Laboratory CO.	Gapadent-China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	5	5	5	5	20	1	3	2	46	42	Valid DSL not attached.
66	Paper Points (for Rotary Protaper)	Pakistan Hospital and Laboratory CO.	Gapadent-China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	15	5	5	5	20	1	3	2	56	42	Valid DSL not attached.
67	Gutta Percha points (for Rotary Protaper)	Pakistan Hospital and Laboratory CO.	Gapadent-China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
68	Clove Oil	Pakistan Hospital and Laboratory CO.	Pak Made	Pakistan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Not-Complied	10	0	0	5	20	1	3	2	41	42	1. Valid DSL not attached. 2. Quoted item did not obtain qualifying marks.
69	Sodium Hypochlorite solution for root canal	Pakistan Hospital and Laboratory CO.	SS Medical -Pak Made	Pakistan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Not-Complied	10	0	0	5	20	1	3	2	41	42	1. DSL not attached. 2. Quoted item did not obtain qualifying marks.
70	Glass mirror Tops	Pakistan Hospital and Laboratory CO.	One Ten Surgical & Dental Manufacturing Co.	Pakistan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	N/A	Yes	Yes	Yes	Yes	Not-Complied	5	5	0	5	20	1	3	2	41	42	1. DSL not attached. 2. Quoted item did not obtain qualifying marks.
71	Barbed Broaches	Pakistan Hospital and Laboratory CO.	Mani Japan	Japan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
72	k-type files (6,8,10,15-40) Imp set	Pakistan Hospital and Laboratory CO.	Mani Japan	Japan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
73	K Reamers(15-40,45-80,90-140)	Pakistan Hospital and Laboratory CO.	Mani Japan	Japan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	5	5	5	5	20	1	3	2	46	42	Valid DSL not attached.
74	H Files (15-40, 45-80, 90-140)	Pakistan Hospital and Laboratory CO.	Mani Japan	Japan	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.
75	Ni K Files (15-40)	Pakistan Hospital and Laboratory CO.	IMD China	China	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	0	0	5	20	1	3	2	41	42	1. DSL not attached. 2. Quoted item did not obtain qualifying marks.
76	Temporary Filling Material (Provis)	Pakistan Hospital and Laboratory CO.	Favodent-Germany	Germany	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not-Complied	10	5	5	5	20	1	3	2	51	42	Valid DSL not attached.